



Medical & In Use Signs



X-RAY IN USE $8"h \times 11"w \times 2\frac{1}{4}"d$ ID#: 38637 (120-277VAC) ID#: 39217 (12-24VDC)



 $7"h \times 7"w \times 2\frac{1}{4}"d$

ID#: 38620 (120-277VAC)

ID#: 41615 (12-24VDC)





LASER IN USE 7"h \times 7"w \times 2¼"d ID#: 38638 (120-277VAC) ID#: 41613 (12-24VDC)

IN USE $7"h \times 7"w \times 2\frac{1}{4}"d$ ID#: 38645 (120-277VAC) ID#: 44273 (12-24VDC)



Room In Use $7"h \times 7"w \times 2\frac{1}{4}"d$ ID#: 38639 (120-277VAC) ID#: 39024 (12-24VDC)



EMPLOYEES ONLY $7"h \times 18"w \times 2\frac{1}{4}"d$ ID#: 38668 (120-277VAC) ID#: 55262 (12-24VDC)



QUIET! TESTING IN PROGRESS $12"h \times 12"w \times 2\frac{1}{4}"d$ ID#: 38783 (120-277VAC) ID#: 55263 (12-24VDC)



SOMATOR

-

0

QUIET! TESTING IN PROGRESS $12"h \times 12"w \times 2\frac{1}{4}"d$ ID#: 40430 (120-277VAC) ID#: 38821 (12-24VDC)

Noticeable LED signs to keep everyone safe

-





12.





X-RAY IN USE 8"h×11"w×2¼"d ID#: 38637 (120-277VAC) ID#: 39217 (12-24VDC)

I need a sign to advise and warn!

We've got that...

Our LED signs are ideally suited for use as lighted warning or directional signs. They can function as an illuminated warning sign in medical facilities when medical imaging equipment is in-use or in testing and manufacturing facilities when dangerous equipment is engaged or hazardous vapors are present. Additionally, our indoor LED signs are perfect for any building that would benefit from illuminated in-use, wayfinding and informational signs such as office buildings, research labs and broadcasting studios.



TEST IN PROGRESS $7"h \times 18"w \times 2\frac{1}{4}"d$ ID#: 38642 (120-277VAC) ID#: 41610 (12-24VDC)



 $7"h \times 18"w \times 2\frac{1}{4}"d$ ID#: 38649 (120-277VAC) ID#: 39069 (12-24VDC)



ON AIR w/Microphone 8"h \times 11"w \times 2¼"d ID#: 39311 (120-277VAC) ID#: 55274 (12-24VDC)



ROOM IN USE $8"h \times 11"w \times 2\frac{1}{4}"d$ ID# 40214 (120-277VAC) ID#: 55279 (12-24VDC)



IN USE 8"h×11"w×2¼"d ID#: 38729 (120-277VAC) ID#: 55280 (12-24VDC)



- Controlled by switch or dry contact relay
- Available in 120-277VAC or 12-24VDC
- Backed by an industry leading warranty



All of our products can be manufactured to accept a 12-24 VDC input. Call for a quote today!

LASER IN USE $8"h \times 11"w \times 2\frac{1}{4}"d$ ID#: 38831 (120-277VAC) ID#: 41722 (12-24VDC)



IN USE $8"h \times 11"w \times 2\frac{1}{4}"d$ ID#: 38825 (120-277VAC) ID#: 55275 (12-24VDC)

directionalsystems.com

We *personalize* and *accessorize*...

Let us provide a sign that meets **your** unique requirements.

Personalize your design with customized selections:

- Message wording, color and font style
- Illumination style direct-view or backlit
- Custom paint color and finish including PMS color matching
- Full color graphics and symbols, including PMS color matching for logo branding

Optional Accessories:

- Beacon strobe
- Piezo alarm
- Flasher



2201 West 50thStreet • Erie, Pennsylvania 16509 Toll Free: 877-827-8296 • Fax: 877-827-8291

directionalsystems.com

Copyright © 2022 Directional Systems