

***Directional***  
***Systems***

# In-Stock Products 2018

LED Signs & Signals Mounting & Switches



**Products in-stock every day!**

[directionalsystems.com](http://directionalsystems.com)

# TCL Series Direct-View LED Blankout



Put twice the information in half the space with overlaid messages. Super-bright LEDs for wide angle viewing rated for 100,000 hours. Messages readable in direct sunlight and disappear completely when off.

- Designed for outdoor use
- Optional flashing
- 2½" deep, extruded all weather cabinet
- Duranodic Bronze finish
- 120-277VAC unless noted
- 5-year Warranty



**24 HR ATM**  
7" h × 34" w × 2½" d  
ID#: 8066



**ATM (Amber)**  
7" h × 18" w × 2½" d  
ID#: 5832



**ATM (Green)**  
7" h × 18" w × 2½" d  
ID#: 5863



**COMMERCIAL**  
7" h × 34" w × 2½" d  
ID#: 6032



**24 HR ATM**  
7" h × 34" w × 2½" d  
ID#: 8066



**ATM ONLY**  
7" h × 34" w × 2½" d  
ID#: 6024



**ATM LANE**  
7" h × 34" w × 2½" d  
ID#: 6026



**OVERSPEED |  
WRONG WAY**  
7" h × 34" w × 2½" d  
ID#: 18723 **12-24VDC**



**ATM |  
OPEN | CLOSED**  
7" h × 34" w × 2½" d  
ID#: 6076



**ATM**  
7" h × 34" w × 2½" d  
ID#: 6029



**ATM/NIGHT DROP**  
7" h × 42" w × 2½" d  
ID#: 6169



**OPEN | CLOSED**  
7" h × 18" w × 2½" d  
ID#: 5887  
ID#: 39858 **12-24VDC**



**OPEN**  
7" h × 18" w × 2½" d  
ID#: 5868



**OPEN | CLOSED**  
7" h × 34" w × 2½" d  
ID#: 6083



**OPEN | CLOSED**  
14" h × 18" w × 2½" d  
ID#: 5112



**OPEN | CLOSED**  
10" h × 26" w × 2½" d  
ID#: 4942

toll free  
**1.877.827.8296**

All signs ship same day when ordered before 3pm EST, Monday - Friday

# Products in-stock & ready to ship!



**X | ↓**  
7" h × 7" w × 2½" d  
ID#: 6298  
ID#: 30134 **12-24VDC**

**X | ↓ (Double Stroke)**  
12" h × 12" w × 2½" d  
ID#: 7577  
ID#: 30070 **12-24VDC**

**X | ↑ (Double Stroke)**  
12" h × 12" w × 2½" d  
ID#: 9895

**X | ↓ (Double Stroke)**  
18" h × 18" w × 2½" d  
ID#: 5492

**X | ↓ (Triple Stroke)**  
18" h × 18" w × 2½" d  
ID#: 5494




**Triple Indicator Dots w/ Hoods**  
21" h × 7" w × 2½" d  
ID#: 5618  
ID#: 30842 **12-24VDC**



**Indicator Dot w/ Hood**  
7" h × 7" w × 2½" d  
ID#: 6291  
ID#: 30132 **12-24VDC**



**↓ (Double Stroke)**  
12" h × 12" w × 2½" d  
ID#: 17576



**OPEN | FULL**  
10" h × 26" w × 2½" d  
ID#: 4944




**OPEN | FULL**  
7" h × 18" w × 2½" d  
ID#: 5898  
ID#: 30199 **12-24VDC**



**OPEN | CLOSED | FULL**  
7" h × 18" w × 2½" d  
ID#: 5907



**FULL**  
7" h × 18" w × 2½" d  
ID#: 5911  
ID#: 30139 **12-24VDC**




**DbI Indicator Dots w/o Hoods**  
7" h × 14" w × 2½" d  
ID#: 10893




**7" h × 14" w × 2½" d (Horizontal)**  
ID#: 7383  
ID#: 30128 **12-24VDC**



**Double Indicator Dots w/ Hoods**  
14" h × 7" w × 2½" d (Vertical)  
ID#: 5439



**7" h × 14" w × 2½" d (Horizontal)**  
ID#: 10893



**Double Indicator Dots w/o Hoods**  
14" h × 7" w × 2½" d (Vertical)  
ID#: 5440

**All In-stock Items, Ship Same Day,**  
when ordered before 3pm EST, Monday - Friday

**directionalsystems.com**

**Directional Systems**



## Phenix™ PHX Series LED Backlit Outdoor Blankout

Traditional block letter messages are readable in direct sunlight and disappear completely when off. High-intensity, LED reflected, backlit illumination rated for 100,000 hours.

- Designed for outdoor use
- 2 1/4" deep, extruded aluminum cabinet
- Duranodic Bronze 120-277VAC or 12-24VDC
- 5-Year Warranty



**OPEN | CLOSED**  
14"h x 18"w x 2 1/4"d  
ID#: 25938



**OPEN | CLOSED**  
7"h x 34"w x 2 1/4"d  
ID#: 25883



**ATM**  
7"h x 18"w x 2 1/4"d  
ID#: 25924



**OPEN**  
7"h x 18"w x 2 1/4"d  
ID#: 25925



**COMMERCIAL**  
7"h x 34"w x 2 1/4"d  
ID#: 25929



**24 HR ATM**  
7"h x 34"w x 2 1/4"d  
ID#: 25930



**ATM ONLY**  
7"h x 34"w x 2 1/4"d  
ID#: 25928

## TCIL Series LED Traffic Controller

Weather resistant, two-light signal with replaceable LED circuit board. Available in horizontal or vertical orientation.

- Designed for outdoor use
- Injection molded housing with integral hoods
- Input voltage 120-277VAC unless otherwise stated
- 5-Year Warranty

### LED Traffic Controller

7"h x 14"w x 9"d (Horizontal)  
ID#: 41483

14"h x 7"w x 9"d (Vertical)

ID#: 42024

ID#: 42504 **12-24VDC**



## TCI Series Incandescent Traffic Controller

Weather resistant, two-light signal with replaceable incandescent lamps. Available in horizontal or vertical orientation.

- Designed for outdoor use
- Injection molded housing with integral hoods
- Input voltage 120-277VAC
- 5-Year Warranty

### Incandescent Traffic Controller

7"h x 14"w x 9"d (Horizontal)  
ID#: 4516

14"h x 7"w x 9"d (Vertical)

ID#: 4572



## Accessories Incandescent Light Bulbs

Direct replacement lamp for the TCI Series Incandescent Traffic Controller. Bulbs are available in 6 and 12 pack quantities.



Product ID #	Product Descriptor	Description	Dimensions	Shipping Weight
1066	12LAMP50	R20 - 50 Watt Incandescent Bulb (Qty: 12)	8" x 8" x 8"	2 lbs
1579	6LAMP50	R20 - 50 Watt Incandescent Bulb (Qty: 6)	8" x 4" x 4"	2 lbs

toll free

**1.877.827.8296**

All signs ship same day when ordered before 3pm EST, Monday - Friday

# Products in-stock & ready to ship!



## SBL Series Indoor Blankout LED Backlit

- Designed for INDOOR USE ONLY
- 2 1/4" deep, extruded aluminum cabinet
- Duranodic Bronze finish
- All products shown are 120-277VAC
- Available in 12-24VDC
- 2-Year Warranty

## SBLF Series Indoor Full Face Illumination LED Backlit

- Designed for INDOOR USE ONLY
- 2 1/4" deep, extruded aluminum cabinet
- Duranodic Bronze finish
- All products shown are 120-277VAC
- Available in 12-24VDC
- 2-Year Warranty

Message Visible  
When On

Message  
Blanks-out When Off



**IN USE**

7"h x 7"w x 2 1/4"d  
ID#: 38647



**LASER IN USE**

7"h x 7"w x 2 1/4"d  
ID#: 38638



**X-RAY IN USE**

7"h x 7"w x 2 1/4"d  
ID#: 38620



**X-RAY IN USE**

8"h x 11"w x 2 1/4"d  
ID#: 38637



**X-RAY IN USE**

8"h x 11"w x 2 1/4"d  
ID#: 38624


### What is Blankout?

The term "Blankout" refers to the signs ability to appear completely black when turned off. The message is only visible when turned on. *Only available on black faced signs.*

Switches - Available with 2-position On/Off or 3-position On/Off/On toggle switches with a stainless steel switch plate and indicator lights 120V unless otherwise noted. Custom switch configurations available.

## Accessories Switches & Gang Plates

Product ID #	Product Descriptor	Description	Dimensions	Material Description	Shipping Weight
3039	SG	Single Gang Plate w/ (1) Three Position Switch	4.5" x 2.75" x 1"	Brushed Stainless Steel	1 lb
31708	SG/12VDC	Single Gang Plate w/ (1) Three Position Switch (12VDC)	4.5" x 2.75" x 1"	Brushed Stainless Steel	1 lb
19521	SG/24VDC	Single Gang Plate w/ (1) Three Position Switch (24VDC)	4.5" x 2.75" x 1"	Brushed Stainless Steel	1 lb
3040	SG2	Single Gang Plate w/ (1) On/Off Switch	4.5" x 2.75" x 1"	Brushed Stainless Steel	1 lb
33203	SG2/12VDC	Single Gang Plate w/ (1) On/Off Switch (12VDC)	4.5" x 2.75" x 1"	Brushed Stainless Steel	1 lb
17290	SG2/24VDC	Single Gang Plate w/ (1) On/Off Switch (24VDC)	4.5" x 2.75" x 1"	Brushed Stainless Steel	1 lb
1992	DG	Double Gang Plate w/ (2) Three Position Switches	4.5" x 4.5" x 1"	Brushed Stainless Steel	1 lb
6645	TG	Triple Gang Plate w/ (3) Three Position Switches	4.5" x 6.37" x 1"	Brushed Stainless Steel	1 lb
6649	TG332	Triple Gang Plate w/ (2) Three Position and (1) On/Off Switch	4.5" x 6.37" x 1"	Brushed Stainless Steel	1 lb
2500	FG	Four Gang Plate w/ (4) Three Position Switches	4.5" x 8.18" x 1"	Brushed Stainless Steel	1 lb
2502	FG3332	Four Gang Plate w/ (3) Three Position and (1) On/Off Switch	4.5" x 8.18" x 1"	Brushed Stainless Steel	1 lb
2580	FVG	Five Gang Plate w/ (5) Three Position Switches	4.5" x 10" x 1"	Brushed Stainless Steel	1 lb



Stainless steel switch plate with knocked out holes.

Indicator lights in green, red or amber for easy visual awareness of switch state.

Switches are pre-wired with pigtails for easy installation.



**All In-stock Items, Ship Same Day,**  
when ordered before 3pm EST, Monday - Friday

## Mounting Dual Angle Mount Bracket



Aluminum brackets used to mount sign at a 30° or 45° viewing angle. Compatible with all signs. Painted Duranodic Bronze. Fasteners not included.

Product ID #	Product Descriptor	Use with Signs	Dimensions	Shipping Weight
1796	DAM718-30/45	Use w/ <b>7" x 18"</b> Signs	6.75" x 18" x 9"	4 lbs
1798	DAM734-30/45	Use w/ <b>7" x 34"</b> Signs	6.75" x 34" x 15"	7 lbs
24615	DAM811-30/45	Use w/ <b>8" x 11"</b> Signs	7.25" x 11" x 6.25"	4 lbs
1790	DAM1026-30/45	Use w/ <b>10" x 26"</b> Signs	9.75" x 26" x 12"	7 lbs
1791	DAM1212-30/45	Use w/ <b>12" x 12"</b> Signs	11.75" x 12" x 7"	5 lbs
1793	DAM1418-30/45	Use w/ <b>14" x 18"</b> Signs	13.75" x 18" x 9"	8 lbs
1795	DAM1818-30/45	Use w/ <b>18" x 18"</b> Signs	17.75" x 18" x 9"	9 lbs


## Mounting Side Mount Bracket



Aluminum brackets painted Duranodic Bronze for all signs up to 26" wide. Fasteners not included. Use Posts to side mount for signs over 26" wide.

Product ID #	Product Descriptor	Use with Signs	Dimensions	Shipping Weight
3061	SM7-SF	Use w/ <b>7" high</b> Signs	6" x 4" x 2"	1 lb
24617	SM8-SF	Use w/ <b>8" high</b> Signs	7" x 4" x 2"	1 lb
3051	SM14-SF	Use w/ <b>14" high</b> Signs	13" x 4" x 2"	2 lbs
3062	SMI	<b>TCIL &amp; TCI Units</b>	4" x 4" x 2"	1 lb

## Mounting Ceiling Mount Bracket



Aluminum brackets painted Duranodic Bronze. Compatible with signs up to 28" high. Fasteners not included. Use Inverted Double Post Projection Mount for signs over 28" high

Product ID #	Product Descriptor	Use with Signs	Dimensions	Shipping Weight
24614	CM11	Use w/ <b>11" wide</b> Signs	4" x 10.75" x 2"	1 lb
1961	CM12	Use w/ <b>12" wide</b> Signs	4" x 11.75" x 2"	2 lbs
1962	CM14	Use w/ <b>14" wide</b> Signs	4" x 13.75" x 2"	2 lbs
1963	CM18	Use w/ <b>18" wide</b> Signs	4" x 17.75" x 2"	2 lbs
1966	CM26	Use w/ <b>26" wide</b> Signs	4" x 25.75" x 2"	3 lbs
1968	CM34	Use w/ <b>34" wide</b> Signs	4" x 33.75" x 2"	4 lbs
1969	CM42	Use w/ <b>42" wide</b> Signs	4" x 41.75" x 2"	5 lbs
1971	CM7	Use w/ <b>7" wide</b> Signs	4" x 6.75" x 2"	1 lb
1972	CMI	Use w/ <b>all TCIL &amp; TCI Units</b>	4" x 6.75" x 2"	1 lb

toll free  
**1.877.827.8296**

All signs ship same day when ordered before 3pm EST, Monday - Friday

# Products in-stock & ready to ship!

## Mounting Recessed Frame Mount

Aluminum frame fastens over sign. Painted Duranodic Bronze. Compatible with all signs. Fasteners not included.

Product ID #	Product Descriptor	Use with Signs	O.D. Dimensions	Wall Opening Dimensions	Shipping Weight
3022	RF77	Use w/ 7" x 7" Signs	9" x 9"	7.5" x 7.75"	1 lb
3014	RF718	Use w/ 7" x 18" Signs	10" x 21"	7.5" x 18.75"	3 lbs
3018	RF734	Use w/ 7" x 34" Signs	10" x 37"	7.5" x 34.75"	4 lbs
3021	RF742	Use w/ 7" x 42" Signs	10" x 45"	7.5" x 42.75"	6 lbs
24616	RF811-BR	Use w/ 8" x 11" Signs	11" x 14"	8.5" x 11.75"	2 lbs
2996	RF1026	Use w/ 10" x 26" Signs	13" x 29"	10.5" x 26.75"	3 lbs
2997	RF1212	Use w/ 12" x 12" Signs	15" x 15"	12.5" x 12.75"	2 lbs
2999	RF1418	Use w/ 14" x 18" Signs	17" x 21"	14.5" x 18.75"	4 lbs
3025	RFI	Use w/ TCIL & TCI Units	10.75" x 17.75" 17.75" x 10.75"	7.5" x 14.75" (Horizontal) 14.5" x 7.75" (Vertical)	1 lb



Aluminum 2.25" x 3" rectangular posts painted Duranodic Bronze. Use in single or double post mounting applications. Designed for direct burial, base plate or as an inverted mount installation. Fasteners not included. Call for pricing on double and inverted post mounting

Product ID #	Product Descriptor	Description	Dimensions	Shipping Weight
2886	P40B	40" Single Post w/ 6" Sq. Base plate	40" x 6" x 6"	6 lbs
2888	P60B	60" Single Post w/ 6" Sq. Base plate	60" x 6" x 6"	7½ lbs
2890	P90B	90" Single Post w/ 6" Sq. Base plate	90" x 6" x 6"	13 lbs




## Mounting Post Mount



Integrated into many of our product lines the Lift'n Shift wall mount makes installation very simple. Just remove the two screws on the bottom of the sign to remove the back panel. Mount the back panel using the knockouts for mounting holes and supplying power. Next, hang the sign from the top hinge as you make your electrical connections. Close the sign and replace the screws you removed earlier.

Cabinet High x Wide (Inches)	Dimension A Mounting Hole Vertical	Dimension B Center Knock-out Vertical (Half of Sign Height)	Dimension C Mounting Hole Horizontal	Dimension D Center Knock-out Horizontal (Half of Sign Width)
7 x 7	1½"	3½"	1¼"	3½"
7 x 18	1½"	3½"	1¼"	9"
7 x 26	1½"	3½"	1¼"	13"
7 x 34	1½"	3½"	1¼"	17"
7 x 42	1½"	3½"	1¼"	21"
8 x 11	1½"	4"	1¼"	5½"
10 x 26	1½"	5"	1¼"	13"
12 x 12	1½"	6"	1¼"	6"
14 x 18	1½"	7"	1¼"	9"
14 x 26	1½"	7"	1¼"	13"
14 x 34	1½"	7"	1¼"	17"
14 x 42	1½"	7"	1¼"	21"
18 x 18	1½"	9"	1¼"	9"



**All In-stock Items, Ship Same Day,**  
when ordered before 3pm EST, Monday - Friday

**Quality shines through.  
It's people.  
It's products.  
It's services.**

***Directional***  
***Systems***

2250 West 23rd Street • Erie, Pennsylvania 16506  
Toll Free: **877-827-8296** • Toll Free Fax: **877-827-8291**

**[directionalsystems.com](http://directionalsystems.com)**